From:	Conus Joël	
Sent:	Friday, March 02, 2001 2:18 PM Nicolas Christophe; Gaillard Christophe; Kudelski Henri; Al	an Cl VCCENTICISE: Commerce delains
· To:	Sasselli Maroo; 'ji.gee@echostar.com'	an GOGGENNEIM, Gloux Ceding,
Subject	ES	
Attachments:	Logs 20010302.bt.asc	
logs)10302.br.asc (17		•
	ure Status: good	
*** Signed: 2.	el Conus <conusénagra-kudelski.ch> 3.2001 1:19:09 PM</conusénagra-kudelski.ch>	
	2.3.2001 9:46:33 PM DECRYPTED/VERIFIED MESSAGE ***	
Summary: - Many users a	re complaining about KoinVizion. He doesn't send	their cards back and ha
doesn't reply [Ref. 1]	to e-mails. Now the opinion on the boards is that	KoinVizion is "history".
- Nobody bothe	red to make a blocker code for the DNASP002 to pr knowledgeable hackers think that there is not end me patch as we did load on the DNASP003 cards, [F	ugh space in the REPROM
Since this log	is very short and that I will have to leave for	
like to give m	y POV about the current situation. Opening on the forums now. The hacking is stalling	
hackers who st	ill have non-updated cards is very limited and the	erefore the blocker code
	published cannot be widely used. Most hackers now	
that has been j	published cannot be widely used. Nose hackers now	think that the AVR is
the way to go,	which is right for the moment (till the next ECM). I'd like to emphasize
the way to go, (again) on the properly some	which is right for the moment (till the next ECH fact that the AVR3 is not a device for the newbi). I'd like to emphasize e. To make it work people have to reprogram
the way to go, (again) on the properly some the device qui	which is right for the moment (till the next ECH fact that the AVR3 is not a device for the newbigood knowledge of the system is needed. Besides, to often because it looks like the code is bugged). I'd like to emphasize e. To make it work people have to reprogram and the device by itself
the way to go, (again) on the properly some the device quit is not always; the AVR3 isn't	which is right for the moment (till the next ECM fact that the AVR3 is not a device for the newbigood knowledge of the system is needed. Besides, to often because it looks like the code is bugged properly built. Also, at most dealers the AVR3 is a great threat for us. This device generates a l). I'd like to emphasize e. To make it work people have to reprogram and the device by itself s now out of stock. IMMO ot of posts on the forums
the way to go, (again) on the properly some the device quit is not always; the AVR3 isn't because it's he	which is right for the moment (till the next ECM fact that the AVR3 is not a device for the newbigood knowledge of the system is needed. Besides, to often because it looks like the code is bugged properly built. Also, at most dealers the AVR3 is a great threat for us. This device generates a lard to configure and it's buggy but I don't think). I'd like to emphasize e. To make it work people have to reprogram and the device by itself s now out of stock. IMMO ot of posts on the forums
the way to go, (again) on the properly some the device quit is not always; the AVR3 isn't because it's he	which is right for the moment (till the next ECM fact that the AVR3 is not a device for the newbigood knowledge of the system is needed. Besides, to often because it looks like the code is bugged properly built. Also, at most dealers the AVR3 is a great threat for us. This device generates a l). I'd like to emphasize e. To make it work people have to reprogram and the device by itself s now out of stock. IMMO ot of posts on the forums
the way to go, (again) on the properly some the device quit is not always; the AVR3 isn't because it's he	which is right for the moment (till the next ECM fact that the AVR3 is not a device for the newbo good knowledge of the system is needed. Besides, te often because it looks like the code is bugged properly built. Also, at most dealers' the AVR3 is a great threat for us. This device generates a lard to configure and it's buggy but I don't think y using it is very high.). I'd like to emphasize e. To make it work people have to reprogram and the device by itself s now out of stock. IMMO ot of posts on the forums
the way to go, (again) on the properly some the device quit is not always; the AVR3 isn't because it's h paople actuall; Devices' status	which is right for the moment (till the next ECM fact that the AVR3 is not a device for the newbigood knowledge of the system is needed. Besides, to often because it looks like the code is bugged properly built. Also, at most dealers' the AVR3 is a great threat for us. This device generates a lard to configure and it's buggy but I don't think y using it is very high. Compromised. Freeware available. Many cards dead.). I'd like to emphasize e. To make it work people have to reprogram and the device by itself s now out of stock. IMHO ot of posts on the forums that the percentage of
the way to go, (again) on the properly some of the device quit is not always of the AVR3 isn't because it's he paople actually Devices' status DNASPOO2 : C DNASPOO3 : S	which is right for the moment (till the next ECH fact that the AVR3 is not a device for the newbi good knowledge of the system is needed. Besides, the often because it looks like the code is bugged properly built. Also, at most dealers' the AVR3 is a great threat for us. This device generates a lard to configure and it's buggy but I don't think y using it is very high.). I'd like to emphasize e. To make it work people have to reprogram and the device by itself s now out of stock. IMHO ot of posts on the forums that the percentage of
the way to go, (again) on the properly some it the device quit is not always; the AVR3 isn't because it's hi paople actually Devices' status DNASPOO2 : C DNASPOO3 : S not	which is right for the moment (till the next ECM fact that the AVR3 is not a device for the newbo good knowledge of the system is needed. Besides, the often because it looks like the code is bugged properly built. Also, at most dealers the AVR3 is a great threat for us. This device generates a lard to configure and it's buggy but I don't think y using it is very high. Compromised. Freeware available. Many cards dead. Secured. VIP rights in some cards. Cards in block affected by the update.). I'd like to emphasize e. To make it work people have to reprogram and the device by itself s now out of stock. IMHO ot of posts on the forums that the percentage of
the way to go, (again) on the properly some of the device quit is not always; the AVR3 isn't because it's he paople actually Devices' status DNASP002 : 0 NASP003 : 5 DNASP010 : 1	which is right for the moment (till the next ECM fact that the AVR3 is not a device for the newbi good knowledge of the system is needed. Besides, the often because it looks like the code is bugged properly built. Also, at most dealers' the AVR3 is a great threat for us. This device generates a lard to configure and it's buggy but I don't think y using it is very high. Compromised. Freeware available. Many cards dead. Secured. VIP rights in some cards. Cards in block affected by the update.). I'd like to emphasize e. To make it work people have to reprogram and the device by itself s now out of stock. IMHO ot of posts on the forums that the percentage of
the way to go, (again) on the properly some the device quit is not always; the AVR3 isn't because it's he paople actually Devices' status DNASP002 : C NASP003 : S DNASP010 : N AVR3/blocker: N	which is right for the moment (till the next ECM fact that the AVR3 is not a device for the newbi good knowledge of the system is needed. Besides, to often because it looks like the code is bugged properly built. Also, at most dealers' the AVR3 is a great threat for us. This device generates a lard to configure and it's buggy but I don't think y using it is very high. Compromised. Freeware available. Many cards dead. Secured. VIP rights in some cards. Cards in block affected by the update. Norking (MCG 3.05).). I'd like to emphasize e. To make it work people have to reprogram and the device by itself s now out of stock. IMHO ot of posts on the forums that the percentage of
the way to go, (again) on the properly some it the device quit is not always; the AVR3 isn't because it's hi paople actually Devices' status DNASPOO2 : C DNASPOO3 : S not ENASPO10 : N AVR3/blocker: N Dealers' status	which is right for the moment (till the next ECM fact that the AVR3 is not a device for the newbord to the the code of the system is needed. Besides, the often because it looks like the code is bugged properly built. Also, at most dealers the AVR3 is a great threat for us. This device generates a lard to configure and it's buggy but I don't think y using it is very high. Compromised. Freeware available. Many cards dead. Secured. VIP rights in some cards. Cards in block affected by the update. Norking (MCG 3.05).). I'd like to emphasize e. To make it work people have to reprogram and the device by itself s now out of stock. IMHO ot of posts on the forums that the percentage of
the way to go, (again) on the properly some the device quit is not always; the AVR3 isn't because it's he paople actually Devices' status DNASP002 : 0 DNASP003 : 5 DNASP010 : N AVR3/blocker: W Dealers' status XoinVicion E3MCards	which is right for the moment (till the next ECM fact that the AVR3 is not a device for the newbi good knowledge of the system is needed. Besides, to often because it looks like the code is bugged properly built. Also, at most dealers' the AVR3 is a great threat for us. This device generates a lard to configure and it's buggy but I don't think y using it is very high. Compromised. Freeware available. Many cards dead. Secured. VIP rights in some cards. Cards in block affected by the update. Norking (MCG 3.05).). I'd like to emphasize e. To make it work people have to reprogram and the device by itself s now out of stock. IMMO ot of posts on the forums that the percentage of
the way to go, (again) on the properly some it the device quit is not always; the AVR3 isn't because it's he paople actually Devices' status DNASP002 : C DNASP003 : S AVR3/blocker: W Dealers' status ENASP010 : M AVR3/blocker: W Dealers' status	which is right for the moment (till the next ECM fact that the AVR3 is not a device for the newbook good knowledge of the system is needed. Besides, to often because it looks like the code is bugged properly built. Also, at most dealers' the AVR3 is a great threat for us. This device generates a lard to configure and it's buggy but I don't think y using it is very high. Compromised. Freeware available. Many cards dead. Secured. VIP rights in some cards. Cards in block affected by the update. Norking (MCG 3.05). The woring web site. Site totally closed until new ISP is found.). I'd like to emphasize e. To make it work people have to reprogram and the device by itself s now out of stock. IMMO out of posts on the forums that the percentage of
the way to go, (again) on the properly some it the device quit is not always; the AVR3 isn't because it's he paople actually Devices' status DNASP002 : C DNASP003 : S AVR3/blocker: W Dealers' status ENASP010 : M AVR3/blocker: W Dealers' status	which is right for the moment (till the next ECM fact that the AVR3 is not a device for the newborgood knowledge of the system is needed. Besides, the often because it looks like the code is bugged properly built. Also, at most dealers' the AVR3 is a great threat for us. This device generates a lard to configure and it's buggy but I don't think y using it is very high. Compromised. Freeware available. Many cards dead. Secured. VIP rights in some cards. Cards in block offected by the update. (of compromised. Freeware available. Many cards dead. Freeware available. Many cards dead. Freeware available. Many cards dead. Freeware available. Many cards of the compromised. Freeware available. Many cards of the compromised.). I'd like to emphasize e. To make it work people have to reprogram and the device by itself s now out of stock. IMMO out of posts on the forums that the percentage of
the way to go, (again) on the properly some it the device quit is not always; the AVR3 isn't because it's he paople actually Devices' status DNASP002 : C DNASP003 : S DNASP010 : N AVR3/blocker: W Dealers' status KoinVicion E3MCards	which is right for the moment (till the next ECM fact that the AVR3 is not a device for the newbook good knowledge of the system is needed. Besides, to often because it looks like the code is bugged properly built. Also, at most dealers' the AVR3 is a great threat for us. This device generates a lard to configure and it's buggy but I don't think y using it is very high. Compromised. Freeware available. Many cards dead. Secured. VIP rights in some cards. Cards in block affected by the update. Norking (MCG 3.05). : Moving web site. : Site totally closed until new ISP is found.). I'd like to emphasize e. To make it work people have to reprogram and the device by itself s now out of stock. IMHO ot of posts on the forums that the percentage of CASE NO. SA CV 03-950 DOC (JTL
the way to go, (again) on the properly some it the device quit is not always; the AVR3 isn't because it's he paople actually Devices' status DNASP002 : C DNASP003 : S AVR3/blocker: W Dealers' status ENASP010 : M AVR3/blocker: W Dealers' status	which is right for the moment (till the next ECM fact that the AVR3 is not a device for the newbook good knowledge of the system is needed. Besides, to often because it looks like the code is bugged properly built. Also, at most dealers' the AVR3 is a great threat for us. This device generates a lard to configure and it's buggy but I don't think y using it is very high. Compromised. Freeware available. Many cards dead. Secured. VIP rights in some cards. Cards in block affected by the update. Norking (MCG 3.05). : Moving web site. : Site totally closed until new ISP is found.	CASE NO. SA CV 03-950 DOC (JTL
the way to go, (again) on the properly some it the device quit is not always; the AVR3 isn't because it's he paople actually Devices' status DNASP002 : C DNASP003 : S DNASP010 : N AVR3/blocker: W Dealers' status KoinVicion E3MCards	which is right for the moment (till the next ECM fact that the AVR3 is not a device for the newbook good knowledge of the system is needed. Besides, to often because it looks like the code is bugged properly built. Also, at most dealers' the AVR3 is a great threat for us. This device generates a lard to configure and it's buggy but I don't think y using it is very high. Compromised. Freeware available. Many cards dead. Secured. VIP rights in some cards. Cards in block affected by the update. Norking (MCG 3.05). : Moving web site. : Site totally closed until new ISP is found.	CASE NO. SA CV 03-950 DOC (JTLECHOSTAR SATELLITE CORE
the way to go, (again) on the properly some it the device quit is not always; the AVR3 isn't because it's he paople actually Devices' status DNASP002 : C DNASP003 : S DNASP010 : N AVR3/blocker: W Dealers' status KoinVicion E3MCards	which is right for the moment (till the next ECM fact that the AVR3 is not a device for the newbook good knowledge of the system is needed. Besides, to often because it looks like the code is bugged properly built. Also, at most dealers' the AVR3 is a great threat for us. This device generates a lard to configure and it's buggy but I don't think y using it is very high. Compromised. Freeware available. Many cards dead. Secured. VIP rights in some cards. Cards in block affected by the update. Norking (MCG 3.05). : Moving web site. : Site totally closed until new ISP is found.	CASE NO. SA CV 03-950 DOC (JTL

Deputy Clerk

Unknown

From:

Conus Joël

Sent:

Friday, March 02, 2001 2:18 PM

To:

Nicolas Christophe; Gaillard Christophe; Kudelski Henri; Alan GUGGENHEIM; Groux Cédric;

Sasselli Marco; 'jj.gee@echostar.com'

Subject:

FS

Attachments:

Logs 20010302.bt.asc



)10302 bd.asc (17 |

*** PGP Signature Status: good

*** Signer: Joël Conus <conus@nagra-kudelski.ch>

*** Signed: 2.3.2001 1:19:09 PM

*** Verified: 2.3.2001 9:46:33 PM

*** BEGIN PGP DECRYPTED/VERIFIED MESSAGE ***

Summary:

- Many users are complaining about KoinVizion. He doesn't send their cards back and he doesn't reply to e-mails. Now the opinion on the boards is that KoinVizion is "history". [Ref. 1]

- Nobody bothered to make a blocker code for the DNASP002 to prevent a possible update yet. The most knowledgeable hackers think that there is not enough space in the REPROM to load the same patch as we did load on the DNASP003 cards. [Ref. 2]

Since this log is very short and that I will have to leave for the army on Monday, I'd like to give my POV about the current situation.

Not much is happening on the forums now. The hacking is stalling it seems. The number of hackers who still have non-updated cards is very limited and therefore the blocker code that has been published cannot be widely used. Most hackers now think that the AVR is the way to go, which is right for the moment (till the next ECM). I'd like to emphasize (again) on the fact that the AVR3 is not a device for the newbie. To make it work properly some good knowledge of the system is needed. Besides, people have to reprogram the device quite often because it looks like the code is bugged and the device by itself is not always properly built. Also, at most dealers' the AVRS is now out of stock. IMHO the AVR3 isn't a great threat for us. This device generates a lot of posts on the forums because it's hard to configure and it's buggy but I don't think that the percentage of paople actually using it is very high.

Devices' status

DNASP002 : Compromised. Freeware available. Many cards dead. : Secured, VIP rights in some cards. Cards in blockers DNASP003

affected by the update.

: Not compromised. DNASP010 AVR3/blocker: Working (MCG 3.05).

Dealers' status

KoinVizion

: Moving web site.

E3MCards

: Site totally closed until new ISP is found.

Disclaimer: the contents of this mail are made of gossips from the

p1b16i133s0-.pdf

Internet. Therefore they cannot be considered as a reliable source of information.

*** END PGP DECRYPTED/VERIFIED MESSAGE ***

2

Page: 2

CONFIDENTIAL

Case No. SA CV03-950 DOC (JTL)

NVNC026301